INSPECTION RECORDSATELLITE ACCUMULATION AREA

Site:	Greenbelt	
	Wallops Main Base	
	Wallops Island	

INSPECTION INFORMATION			
Location: Bldg	Room Date:	· · · · · · · · · · · · · · · ·	
Inspector's Signature			
HAZARDOUS WASTE CONTAINERS			
		Yes No N/A	
Container Condition	Are any open?		
	Are any severely rusted or leaking?	<u> </u>	
	Are any container heads bulging?	<u> </u>	
30114111011	Are any generating heat?	<u> </u>	
	Are any odors noticeable?		
If any of these questions	s were marked YES, please explain:		
Describe actions taken	to correct situation:		
Container	Are the contents marked on all containers?		
Markings	Are all containers marked as Hazardous Waste?		
	s were marked NO, please explain:		
— — — — — — — — — — — — — — — — — — —	were marked to, piease explain.		
Describe actions taken	to correct situation:		
	Are all ignitables away from ignition sources?		
0	Are incompatibles separated?		
Container Storage	Is the quantity of hazardous waste less than 45 gallons at Greenbelt or less than 55 gallons at Wallops?		
	Is the quantity of acute hazardous waste less than ½ quart at Greenbelt or less than 1 quart at Wallops?		
If any of these questions	s were marked NO, please explain:		
Describe actions taken	to correct situation:		
SATELLITE ACCUMULATION AREA			
	Have all waste streams been analyzed for hazardous waste criteria?		
	Is the area free of hazardous waste releases?		
Storage Conditions	Is the generator's SAA Inspection Record up to date?		
	Is secondary containment in place where required?		
	Have all hazardous waste generators been trained?		
	Are SAA inspection records current and have problems been corrected?		
If any of these questions were marked NO, please explain:			
Describe actions taken to correct situation:			